



The Role of Rooting Hormones in Improving Survival Rates of Bamboo Species



S&T in Natural Resources

Mylene R. Ermitanio^{*1}, Froilan A. Pacris Jr.², Marvin V. Baloloy¹, and Jona L. Asuncion¹

¹College of Agriculture, Cagayan State University, Gonzaga Campus, Gonzaga, Philippines

²Campus Executive Officer, Cagayan State University, Gonzaga Campus, Gonzaga, Philippines

Corresponding Author: ermitaniomylene@csu.edu.ph

Key Findings and Policy Implications

- Pruning old bamboo stems and clumps, along with watering, fertilizing, and mulching, helps bamboo grow more shoots than using any method alone.
- Shoots grown this way are bigger and heavier, meaning better quality from Machiku bamboo.
- This method makes shoots appear faster, so farmers can harvest more often and save time.
- Using all these management practices helps farmers grow more bamboo and earn more money.
- Growing bamboo like this is good for the environment and supports local economies.
- It is very important for the government to help farmers or bamboo growers learn and use these

trained on proper cutting selection and hormone application.

- Government agencies should support research and adoption of effective propagation techniques to expand bamboo production.

Background

In an effort to meet the growing demand for bamboo planting materials for environmental restoration, the Cagayan State University in Gonzaga, Philippines, has become a key center for bamboo propagation.

Research Objectives

The primary objective of this study is to determine the effect of different rooting hormones on the survival rate and overall growth parameters of three specific bamboo species: Giant Bamboo (*Dendrocalamus giganteus*), Machiku Bamboo (*Dendrocalamus latiflorus*), and Spiny Bamboo (*Bambusa blumeana*).

Specifically, this research aims to quantify and compare the performance of each treatment by measuring the following parameters after a three-month period: the average number of new shoots, the average length of shoots (cm), the average number of roots, the average length of roots (cm), and the overall percentage of survival.

Methodology

The study was conducted in a Randomized Complete Block Design (RCBD) experiment conducted at the bamboo plantations of Cagayan State University in Gonzaga, Philippines.

The study compared the effects of different bamboo plantation ages (3, 5, and 7 years) on the growth of tiger grass. Soil samples were collected for analysis of organic matter, phosphorus, and potassium. Land preparation included strip brushing, followed by staking and hole digging to ensure proper plant spacing. Tiger grass planting materials were prepared from clumps, with tillers propagated in polyethylene bags. The propagated tillers were then planted in a mixture of topsoil and organic fertilizer. Mulching was applied to conserve moisture and suppress weeds.

The plants were managed with fertilization, weeding, and protection from animals. Panicles were harvested when they reached approximately 70 cm in length and were still green and soft.

Key Findings

The T3-IAA-Seaweed extract treatment yielded the best growth results with the highest average number of shoots (4.67) and longest average root length (41.87 cm), while the T1-ANAA treatment resulted in the highest survival rate (93.33%). The control group

surprisingly produced the most roots (51.25), but the T2-GA treatment performed the poorest overall across most metrics.

Table 1. Parameters obtain of spiny bamboo using different rooting hormone after three (3) months.

Treatments	Average Survival rate (%)	Average number of shoots	Average length (cm) of shoots	Average number of roots
T0-control	83.22	2.96 b	74.08	51.25 a
T1-ANAA	93.33	3.88 ab	111.75	36.25 ab
T2-GA	75.56	2.84 b	99.24	20.17 b
T3-IAA-Seaweed Extract	88.89	4.67 a	96.78	37.67 ab

Conclusion

Rooting hormones, particularly ANAA, significantly enhance bamboo survival rates, making propagation more efficient and cost-effective.

Policymakers should support research, training, and sustainable bamboo propagation methods to promote large-scale bamboo cultivation in the Philippines.

Policy Recommendations

Adopt ANAA as a Standard Rooting Hormone

Encourage the use of ANAA for large-scale bamboo propagation.

Provide Farmer Training

Conduct capacity-building programs on bamboo propagation techniques.

Support Sustainable Alternatives

Explore and promote natural hormone alternatives for small-scale and organic bamboo farms.

Invest in Bamboo Research

Strengthen studies on propagation techniques for different bamboo species.

Target Policy Actors and Beneficiaries



References

Pacris, F. A., Jr., Asuncion, J. L., Baloloy, M. V., & Ermitanio, M. R. (2024). The effect of different rooting hormones on the survival of three species of bamboo species: Giant bamboo (*Dendrocalamus giganteus*), machiku (*Dendrocalamus latiflorus*), and spiny bamboo (*Bambusa blumeana*). *Journal of Biodiversity and Environmental Sciences*, 25(5), 35–41. <https://www.innspub.net/wp-content/uploads/2024/11/JBES-V25-No5-p35-41.pdf>

Banik, R. L. (1995). A manual for vegetative propagation of bamboos. International Network for Bamboo and Rattan. <https://www.inbar.int/wp-content/uploads/2020/05/1489457006.pdf>

Bareja, B. G. (2013). Bamboo production and propagation methods. https://www.doc-developpementdurable.org/file/Culture/Arbres-Bois-de-RapportReforestation/FICHES_ARBRES/bambou/bamboo-production-and-propagation-methods.pdf

Halili, K. C. (2015). Bamboo propagation via branch cuttings to assist farmers in production. DOST-PCAARRD S&T Media Service. <http://www.pcaarrd.dost.gov.ph/home/portal/index.php/quick-information-dispatch/2600-bamboo-propagation-via-branch-cuttings-to-assist-farmers-in-production>

Ray, S. S., & Ali, M. N. (2017). Factors affecting macropropagation of bamboo with special reference to culm cuttings: A review update. *New Zealand Journal of Forestry Science*, 47, 17. <https://doi.org/10.1186/s40490-017-0097-z>

Editor's Note

This policy brief is based on results of the CSU-funded project "The Role of Rooting Hormones in Improving Survival Rates of Bamboo Species" This project was implemented by the Cagayan State University - Gonzaga Campus. The CSU - Gonzaga Campus project team is composed of Froilan A. Pacris Jr., Marvin V. Baloloy, Jona L. Asuncion, Mylene R. Ermitanio



About CSU Policy Brief

Our policy brief offers an in-depth analysis of contemporary challenges and opportunities within higher education, with a special focus on the unique context of Cagayan State University. Through rigorous research and stakeholder engagement, we examine key areas such as academic innovation, research advancement, community engagement, and administrative excellence. Each recommendation is carefully developed to foster an environment of growth, equity, and sustainability. **This policy brief is published bi-annually.**

Our approach is built on transparency and inclusiveness. By integrating comprehensive data analysis with practical insights from experts and the broader university community, we ensure that our policy recommendations are not only academically robust but also practically implementable. This process underscores our commitment to creating a positive and lasting impact on the university's future.

The policy brief also serves as a platform for translating research outputs into practical policy insights across six strategic thematic areas including Science and Technology in Agriculture, Natural Resources, Education, Food Science and Chemistry, Public Health and Medicine, and Behavioral and Social Sciences. These areas reflect the university's research priorities and address emerging concerns related to agriculture and livestock, environmental management, teaching and learning, food innovation, clinical diagnostics, and community resilience.

While these publications provide science-based interventions for regional and national development, the analyses and recommendations are those of the authors and do not necessarily represent the official positions of Cagayan State University. Any reproduction, distribution, or citation of this work must acknowledge the author and the CSU Policy Brief.

All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means without prior permission from Cagayan State University. This Policy Brief is part of the CSU Policy Brief.

Get in touch with us via:

-  facebook.com/csuktmpo
-  csu_ktmoffice@csu.edu.ph
-  csu.org.ph/policybrief



Cagayan State University

Knowledge & Technology Management and Publication Office

RDE Bldg., CSU- Andrews Campus Caritan Sur, Tuguegarao City, Cagayan

Editorial Board

Gilbert C. Magulod Jr., PhD
Editor-in-Chief

Patrianne M. Padua, PhD
Associate Editor-in-Chief

Peer Reviewers

Audy R. Quebral, DPA

Josie Y. Bas-Ong, PhD

Anderson G. Gonzales, PhD

Charmie S. Calvo, DIT

Editorial Staff

Jamaica C. Pedro
Managing Editor

Marcel W. Visitacion
Layout Artist

Technical Staff

Christian Dave E. Columna
IT Technician

Interagency Local Advisory Board

Cagayan State University

University of the Philippines Diliman

University of Santo Tomas

Bureau of Fisheries and Aquatic Resources

Department of Agriculture

Department of Education

Department of Trade Industry

Department of Economy, Planning, and Development



POLICY BRIEF

Cagayan State University
Knowledge & Technology Management and Publication Office



csu.org.ph/policybrief